Wood Science Index . . . Vol. 14, 1981-82

FPRS Subject Index

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and coauthor entries refer back to the senior author. Reprints of most articles are available at $2 each, minimum $5, plus 10 percent shipping and handling. Bulk rates are also available. A check or money order must accompany each order.

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Comparison of Mechanical and Anatomical Properties of Eastern Cottonwood and *Populus* Hybrid NE-237, B.A. Bendtsen, R.R. Maeglin, and F. Deneke, 1:1-14 (No. 6210).

Fertilization Effects on Specific Gravity and Diameter Growth of Red Spruce, R.K. Shepard, Jr., 3:138-144 (No. 6270).

Improved Techniques for Handling and Staining Wood Fibers for Digitizer Assisted Measurement, R. Jagels, D.J. Gardner, and T.B. Brann, 4:165-167 (No. 6247).

SEM Examination of Subsurface Damage of Wood After Abrasive and Knife Planing, H.A. Stewart and J.B. Crist, 3:106-109 (No. 6172).

Termite Responses to Wood and Extracts of Melaleuca, F.L. Carter and J.B. Huffman, 3:127-133 (No. 6284).

Chemistry

Bond Formation by Wood Surface Reactions: Part I — Surface Analysis by ESCA, R.A. Young, R.M. Rammon, S.S. Kelley, and R.H. Gillespie, 3:110-119 (No. 6218).

Free Radical Formation in Wood: The Role of Water, D.N.-S. Hon and W.C. Feist, 1:41-48 (TN-424).

Orientation of Cellulose Crystallites in the S_2 Layer of Spruce and Birch Wood Cell Walls, J.-F. Revol, C. Gancet, and D.A.I. Goring, 3:120-126 (No. 6274).

Wood-Polymer Materials: State of the Art, J.A. Meyer, 2:49-54 (No. 6292).

Physics

Capacitive In-Kiln Wood Moisture Content Monitors: Principles of Operation and Use, W.L. James and R.S. Boone, 4:146-164 (No. 6286).

Determining Pore Size in Wood by Electroosmotic Measurements, J.P. Hösli, 2:91-94 (No. 6250).

Predicting Wood Surface Moisture Content During Water Vapor Sorption, H.N. Rosen, 3:134-137 (No. 6271).

Prediction of Mass Attenuation Coefficients of Wood, J.R. Olson and D.G. Arganbright, 2:86-90 (No. 6238).

Scanning Electron Microscopy of -60/+80 Mesh Fiberboard Furnish, P.H. Short, 1:32-40 (No. 6236).

Wood Engineering and Mechanical Properties

Comparison of Mechanical and Anatomical Properties of Eastern Cottonwood and *Populus* Hybrid NE-237, B.A. Bendtsen, R.R. Maeglin, and F. Denke, 1:1-14 (No. 6210).

Flow-Grain Analogy, G.E. Phillips, J. Bodig, and J.R. Goodman, 2:55-64 (No. 6219).

Fracture Mechanics of Particleboard Using Nonlocal Theory, L.B. Ilcewicz and J.B. Wilson, 2:65-72 (No. 6179).

Influence of Elastic Properties on the Stresses in Bolted Joints in Wood, T.L. Wilkinson and R.E. Rowlands, 1:15-22 (No. 6184).

Numerical Approach to Predict the Modulus of Elasticity of Oriented Waferboard, P.W.-C. Lau, 2:73-85 (No. 6253).

Simulation of the Tensile Strength-Fracture Toughness Relationship, P.J. Pellicane, J. Bodig, and J.R. Goodman, 4:168-177 (No. 6251).

Stress-Strain Relationship for Defect-Free Timber Beams, J.A. Anderson, 1:23-31 (No. 6148).

PROCESSES DIVISION

Timber Production

Statistical Methodology for Forest Harvesting Model Development, G.S. Hines, M.L. Padgett, D.B. Webster, and D.L. Sirois, 4:178-187 (No. 6293).

PAPERS OF SPECIAL INTEREST

Application of Automatic Image Analysis to Wood Science, C.W. McMillin, 3:97-105 (No. 6283).

Capacitive In-Kiln Wood Moisture Content Monitors: Principles of Operation and Use, W.L. James and R.S. Boone, 4:146-164 (No. 6286).

Wood-Polymer Materials: State of the Art, J.A. Meyer, 2:49-54 (No. 6292).

Wood Science Index . . . Vol. 14, 1981-82

FPRS Subject Index

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and coauthor entries refer back to the senior author. Reprints of most articles are available at $2 each, minimum $5, plus 10 percent shipping and handling. Bulk rates are also available. A check or money order must accompany each order.

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Comparison of Mechanical and Anatomical Properties of Eastern Cottonwood and *Populus* Hybrid NE-237, B.A. Bendtsen, R.R. Maeglin, and F. Deneke, 1:1-14 (No. 6210).

Fertilization Effects on Specific Gravity and Diameter Growth of Red Spruce, R.K. Shepard, Jr., 3:138-144 (No. 6270).

Improved Techniques for Handling and Staining Wood Fibers for Digitizer Assisted Measurement, R. Jagels, D.J. Gardner, and T.B. Brann, 4:165-167 (No. 6247).

SEM Examination of Subsurface Damage of Wood After Abrasive and Knife Planing, H.A. Stewart and J.B. Crist, 3:106-109 (No. 6172).

Termite Responses to Wood and Extracts of Melaleuca, F.L. Carter and J.B. Huffman, 3:127-133 (No. 6284).

Chemistry

Bond Formation by Wood Surface Reactions: Part I — Surface Analysis by ESCA, R.A. Young, R.M. Rammon, S.S. Kelley, and R.H. Gillespie, 3:110-119 (No. 6218).

Free Radical Formation in Wood: The Role of Water, D.N.-S. Hon and W.C. Feist, 1:41-48 (TN-424).

Orientation of Cellulose Crystallites in the S_2 Layer of Spruce and Birch Wood Cell Walls, J.-F. Revol, C. Gancet, and D.A.I. Goring, 3:120-126 (No. 6274).

Wood-Polymer Materials: State of the Art, J.A. Meyer, 2:49-54 (No. 6292).

Physics

Capacitive In-Kiln Wood Moisture Content Monitors: Principles of Operation and Use, W.L. James and R.S. Boone, 4:146-164 (No. 6286).

Determining Pore Size in Wood by Electroosmotic Measurements, J.P. Hösli, 2:91-94 (No. 6250).

Predicting Wood Surface Moisture Content During Water Vapor Sorption, H.N. Rosen, 3:134-137 (No. 6271).

Prediction of Mass Attenuation Coefficients of Wood, J.R. Olson and D.G. Arganbright, 2:86-90 (No. 6238).

Scanning Electron Microscopy of -60/+80 Mesh Fiberboard Furnish, P.H. Short, 1:32-40 (No. 6236).

Wood Engineering and Mechanical Properties

Comparison of Mechanical and Anatomical Properties of Eastern Cottonwood and *Populus* Hybrid NE-237, B.A. Bendtsen, R.R. Maeglin, and F. Denke, 1:1-14 (No. 6210).

Flow-Grain Analogy, G.E. Phillips, J. Bodig, and J.R. Goodman, 2:55-64 (No. 6219).

Fracture Mechanics of Particleboard Using Nonlocal Theory, L.B. Ilcewicz and J.B. Wilson, 2:65-72 (No. 6179).

Influence of Elastic Properties on the Stresses in Bolted Joints in Wood, T.L. Wilkinson and R.E. Rowlands, 1:15-22 (No. 6184).

Numerical Approach to Predict the Modulus of Elasticity of Oriented Waferboard, P.W.-C. Lau, 2:73-85 (No. 6253).

Simulation of the Tensile Strength-Fracture Toughness Relationship, P.J. Pellicane, J. Bodig, and J.R. Goodman, 4:168-177 (No. 6251).

Stress-Strain Relationship for Defect-Free Timber Beams, J.A. Anderson, 1:23-31 (No. 6148).

PROCESSES DIVISION

Timber Production

Statistical Methodology for Forest Harvesting Model Development, G.S. Hines, M.L. Padgett, D.B. Webster, and D.L. Sirois, 4:178-187 (No. 6293).

PAPERS OF SPECIAL INTEREST

Application of Automatic Image Analysis to Wood Science, C.W. McMillin, 3:97-105 (No. 6283).

Capacitive In-Kiln Wood Moisture Content Monitors: Principles of Operation and Use, W.L. James and R.S. Boone, 4:146-164 (No. 6286).

Wood-Polymer Materials: State of the Art, J.A. Meyer, 2:49-54 (No. 6292).

FPRS Author Index

A

ANDERSON, J. A., Stress-Strain Relationship for Defect-Free Timber Beams, 1:23-31 (No. 6148).
ARGANBRIGHT, D. G., *see* OLSON, J. R.

B

BENDTSEN, B. A., R. R. MAEGLIN, and F. DENEKE, Comparison of Mechanical and Anatomical Properties of Eastern Cottonwood and *Populus* Hybrid NE-237, 1:1-14 (No. 6210).
BODIG, J., *see* PELLICANE, P. J.
BODIG, J., *see* PHILLIPS, G. E.
BOONE, R. S., *see* JAMES, W. L.
BRANN, T. B., *see* JAGELS, R.

C

CARTER, F. L., and J. B. HUFFMAN, Termite Responses to Wood and Extracts of Melaleuca, 3:127-133 (No. 6284).
CRIST, J. B., *see* STEWART, H. A.

D

DENEKE, F., *see* BENDTSEN, B. A.

G

GANCET, C., *see* REVOL, J.-F.
GARDNER, D. J., *see* JAGELS, R.
GILLESPIE, R. H., *see* YOUNG, R. A.
GOODMAN, J. R., *see* PELLICANE, P. J.
GOODMAN, J. R., *see* PHILLIPS, G. E.
GORING, D. A. I., *see* REVOL, J.-F.

H

HINES, G. S., M. L. PADGETT, D. B. WEBSTER, and D. L. SIROIS, Statistical Methodology for Forest Harvesting Model Development, 4:178-187 (No. 6298).
HON, D. N.-S., and W. C. FEIST, Free Radical Formation in Wood: The Role of Water, 1:41-48 (TN-424).
HÖSLI, J. P., Determining Pore Size in Wood by Electroosmotic Measurements, 2:91-94 (No. 6250).
HUFFMAN, J. B., *see* CARTER, F. L.

I

ILCEWICZ, L. B., and J. B. WILSON, Fracture Mechanics of Particleboard Using Nonlocal Theory, 2:65-72 (No. 6179).

J

JAGELS, R., D. J. GARDNER, and T. B. BRANN, Improved Techniques for Handling and Staining Wood Fibers for Digitizer Assisted Measurement, 4:165-167 (No. 6247).
JAMES, W. L., and R. S. BOONE, Capacitive In-Kiln Wood Moisture Content Monitors: Principles of Operation and Use, 4:146-164 (No. 6286).

K

KELLEY, S. S., *see* YOUNG, R. A.

L

LAU, P.W.-C., Numerical Approach to Predict the Modulus of Elasticity of Oriented Waferboard, 2:73-85 (No. 6253).

M

MAEGLIN, R. R., *see* BENDTSEN, B. A.
MCMILLIN, C. W., Application of Automatic Image Analysis to Wood Science, 3:97-105 (No. 6283).
MEYER, J. A., Wood-Polymer Materials: State of the Art, 2:49-54 (No. 6292).

O

OLSON, J. R., and D. G. ARGANBRIGHT, Prediction of Mass Attenuation Coefficients of Wood, 2:86-90 (No. 6238).

P

PADGETT, M. L., *see* HINES, G. S.

PELLICANE, P. J., J. BODIG, and J. R. GOODMAN, Simulation of the Tensile Strength-Fracture Toughness Relationship, 4:168-177 (No. 6251).
PHILLIPS, G. E., J. BODIG, and J. R. GOODMAN, Flow-Grain Analogy, 2:55-64 (No. 6219).

R

RAMMON, R. M., *see* YOUNG, R. A.
REVOL, J.-F., C. GANCET, and D. A. I. GORING, Orientation of Cellulose Crystallites in the S_2 Layer of Spruce and Birch Wood Cell Walls, 3:120-126 (No. 6274).
ROSEN, H. N., Predicting Wood Surface Moisture Content During Water Vapor Sorption, 3:134-137 (No. 6271).
ROWLANDS, R. E., *see* WILKINSON, T. L.

S

SHEPARD, R. K., JR., Fertilization Effects on Specific Gravity and Diameter Growth of Red Spruce, 3:138-144 (No. 6270).
SHORT, P. H., Scanning Electron Microscopy of −60/+80 Mesh Fiberboard Furnish, 1:32-40 (No. 6236).
SIROIS, D. L., *see* HINES, G. S.
STEWART, H. A., and J. B. CRIST, SEM Examination of Subsurface Damage of Wood After Abrasive and Knife Planing, 3:106-109 (No. 6172).

W

WEBSTER, D. B., *see* HINES, G. S.
WILKINSON, T. L., and R. E. ROWLANDS, Influence of Elastic Properties on the Stresses in Bolted Joints in Wood, 1:15-22 (No. 6184).
WILSON, J. B., *see* ILCEWICZ, L. B.

Y

YOUNG, R. A., R. M. RAMMON, S. S. KELLEY, and R. H. GILLESPIE, Bond Formation by Wood Surface Reactions: Part I—Surface Analysis by ESCA, 3:110-119 (No. 6218).